





Customer:	Hilong Oil Services & Engineering	Date Of Service:	23-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-MB-001
Rig & Rig Number:	RIG-99	Specification:	API spec 7K



ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company

Inspection Date:	23-12-2023	Due Date:	22-06-2024
------------------	------------	-----------	------------

Inspector:	Aram Dlawar 	Supervisor:	Hasan Curran
OEM:			



International Well Control Forum



Tel: +964 7833334444 +964 7822222633

Emails: akader@aberdeents.com

inspection@aberdeents-iq.com




Customer:	Hilong Oil Services & Engineering	Date Of Service:	23-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-MB-001
Rig & Rig Number:	RIG-99	Specification:	API spec 7K

The Rig Was Equipped with Zhengzhou Baolai Machinery Manufacturing CO. Master Bushing, with The Following Specification:

Equipment:	Master Bushing
Model/SN:	ZP275 / BL180803
Date of Manufacture:	-
Manufacturer:	Zhengzhou Baolai Machinery Manufacturing CO
Reference Standard:	API RP 7L

Remarks:

Detailed report are attached detailing all readings and results in page 05.

Inspector:	Aram Dlawar 	Supervisor:	H. san Oman
OEM:			



International Well Control Forum



Tel: +964 7833334444 +964 7822222633

Emails: akader@aberdeents.com

inspection@aberdeents-iq.com



Customer:	Hilong Oil Services & Engineering	Date Of Service:	23-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-MB-001
Rig & Rig Number:	RIG-99	Specification:	API spec 7K

PROCEDURE

- The Master Bushing Has Been Inspected and Found Conformable to the Relevant Standard(s)
- The Rig was equipped with Zhengzhou Baolai Machinery Manufacturing CO. LTD Master Bushing.
- Master Bushing Found Partly Stripped Down /Dismantling Condition for CAT III Inspection.


Action	Result
• Visually checked the master bushing for any damage or cracks.	Pass
• Measure the wear of the bushing. refer to the manufacturer wear limits.	Pass
• Performed MPI on the master bushing & pin.	Pass
• Check the availability and condition of the manufacture’s serial number.	Pass
• Grease the bushing.	Pass
• Repaint as required.	Pass
• Prepare and submit the inspection report.	Pass

** Visual And MPI Was Carried out on The Critical Areas Of The master bushing and Found **Satisfactory for Further Use.**

** CAT III Inspection Was Carried Out on the master bushing and Found **Accepted** At The Time of Inspection.

Remarks:

Detailed report are attached detailing all readings and results in page 5

Inspector:	Aram Dlawar 	Supervisor:	Hasan Omran
OEM:			



Tel: +964 7833334444 / +964 782222633
 Emails: akader@aberdeents.com
inspection@aberdeents-iq.com




Customer:	Hilong Oil Services & Engineering	Date Of Service:	23-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-MB-001
Rig & Rig Number:	RIG-99	Specification:	API spec 7K

PICTORIAL:



Inspector:	Aram Dlawar 	Supervisor:	Hasa Omran 
OEM:			



International Well Control Forum



Tel: +964 7833334444 +964 782222633

Emails: akader@aberdeents.com

inspection@aberdeents-iq.com




Customer:	Hilong Oil Services & Engineering	Date Of Service:	23-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-MB-001
Rig & Rig Number:	RIG-99	Specification:	API spec 7K

Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Location:	HL99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-----------	------	-------------	----------------

Date of Examination:	23-12-2023	Date of Report:	23-12-2023	Certificate No:	ATS-12-23-2486-MB-001-1
----------------------	------------	-----------------	------------	-----------------	-------------------------

Serial Number	Description of the examined equipment	Result
BL180803	Master bushing ZP275	Pass



Dimensional Verification

Description:	OEM	Actual Value (mm)	Result
Length of taper (A):	324 new (15mm tolerance)	318	accept
Inside diameter of throat(B):	257.18 new (5mm tolerance)	260	accept
Outside diameter(C):	New 696.913 (5mm tolerance)	696	accept

NDT Equipment Details

Standard	API spec 7K & ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	17-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025


NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		22-06-2024



International Well Control Forum



Tel: +964 7833334444 +964 7822222633

Emails: akader@aberdeents.com

inspection@aberdeents-iq.com