




Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G



ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company

Inspection Date:	04-DEC-2023	Due Date:	03-DEC-2025
------------------	-------------	-----------	-------------

Inspector:	Aram Dlawar 	OEM:	
------------	---	------	--



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

The Rig Was Equipped with SJ PETRO-MACHINERY GROUP CO.LTD Substructure, with The Following Specification:

Equipment:	Substructure
Model:	SOZ180/7-Z
S/N:	180802 (BG18-08-01)
Marker & Date of Manufacture:	SJ Petroleum Machinery CO
Ref Standard:	API RP 4G
Date Of Manufacture:	08/2018

QTY:	1 (set)
Max. Rated Static Hook Load:	1800 KN / 404923 lbf.
Max. Rated Static Rotary Capacity:	3000 KN / 674873lbf
Max. Rated Stand Load:	980 KN / 215959 lbf
Combined Load of Max. Rated Static Hook Load And Max. Rated Stand Load:	3000 KN / 674873lbf
Weight:	84810 kg/ 186988 lbs

**Remarks:**  
Detailed reports are attached detailing all readings and results in pages (08-52)

Inspector:	Aram Dlawar 	Supervisor:	Hasan Omran 
OEM:			



<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**PROCEDURE**

- The Substructure was Inspected and Found Conformable to the Relevant Standard.
- The Rig was equipped with SJ PETRO-MACHINERY GROUP CO.LTD Substructure

Action	Result
1. Thoroughly visual inspection of all load bearing members, welds and pick up points	Performed
2. Determine the condition of the substructure	Performed
3. Manufacture Name Plate In Place, All Specification of the substructure Were Obtained From Attached Manufacture Manual And Manufacture Certificate.	Performed
4. All repairs to major damage require supervision of professional engineer or an OEM agent.	Performed
5. Repairs to minor damage may be completed by operating personnel after consulting with the field support manger and do not require certification. If there is any question as to whether the damage is major or minor. A professional engineer or an OEM agent shall	Performed
6. Thoroughly visual examine and MPI all the substructure connections, supports and Main raising rams pad eyes DS& ODS. Against any cracks, undercuts, porosity, concavity, and any other potential deficiencies.	Performed
7. Thoroughly visual examine and MPI All loading and connecting Pins.	Performed
8. Thoroughly Clean and Inspect for Signs of Corrosion, Excessive Wear, Stretching, Bending, cracks, and fatigues.	Performed
9. All the substructure connections and pad eyes were sequentially marked with hard stencil punches.	Performed
10. Thoroughly visual examine and MPI all the substructure lifting blocks and their load pins	Performed
11. The equipment may be disassembled and cleaned to the necessary extent to conduct the applicable NDT for all defined critical areas.	Performed
12. The ultrasonic thickness done as recommended on all tubular style (or closed style) members to test for internal corrosion and remaining wall thickness.	Performed
13. All welding areas checked (100%) visually examined.	Performed
14. All welding areas at critical points inspected using (MPI) to detect any potential cracks.	Performed
15. Prepare and submit the inspection report.	Performed

\*\* Visual and MPI Was Carried Out on the Available Critical& Welding Areas of the substructure and Found **Satisfactory for Further Use.**


\*\* CAT III Inspection Was Carried Out on Substructure and Found **Accepted** at The Time of Inspection.



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**PICTORIAL:**



Inspector:	Aram Dlawar 	Supervisor:	Hasan Omran
OEM:			



<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**INSPECTION CHECKLIST RESULTS:**

**Substructure**

**01- Shoes**

Condition	Accepted	Rejected	Remarks
Pin connections	√		Check at regular frequencies
Pin holes	√		Check at regular frequencies
Bolt connections	√		Check at regular frequencies
Bolt holes	√		Check at regular frequencies
Pins / bolts	√		Check at regular frequencies
Safety pins	√		Check at regular frequencies
Support beams	√		Check at regular frequencies
Welds	√		Check at regular frequencies
No of visible marks applied	√		Check at regular frequencies

**02- Floor Area**

Floor plates	√		Check at regular frequencies
Handrails, and toe boards	√		Check at regular frequencies
Handrail's connections	√		Check at regular frequencies
Setback material	√		Check at regular frequencies
Floor bracing	√		Check at regular frequencies
Welds	√		Check at regular frequencies
No of visible marks applied	√		Check at regular frequencies

**03- Sub – Spreaders and Rotary Beams**

Rotary beams	√		Check at regular frequencies
Spreaders	√		Check at regular frequencies
Pin connections	√		Check at regular frequencies
Pin holes	√		Check at regular frequencies
Pins	√		Check at regular frequencies





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

Pad eyes	√		Check at regular frequencies
Welds	√		Check at regular frequencies
No of visible marks applied	√		Check at regular frequencies

<b>04- Deadline Anchor Mounting</b>			
Supports	N/A		Check at regular frequencies
Bolts	N/A		Check at regular frequencies
Flooring	N/A		Check at regular frequencies
Break over assy.	N/A		Check at regular frequencies
Handrails	N/A		Check at regular frequencies
Welds	N/A		Check at regular frequencies
No of visible marks applied	N/A		Check at regular frequencies

<b>05- Substructure Components</b>			
Beams straight	√		Check at regular frequencies
Cross braces	√		Check at regular frequencies
Pins/ bolts holes	√		Check at regular frequencies
Pins / bolts	√		Check at regular frequencies
Safety pins	√		Check at regular frequencies
Pull back posts	√		Check at regular frequencies
Draw works tie down	√		Check at regular frequencies
Welds	√		Check at regular frequencies
BOP anchorpad eyes	√		Check at regular frequencies
Pad eyes	√		Check at regular frequencies
Number of visible marks applied	√		Check at regular frequencies



<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

06- Raising System			
Pin connections	√		Check at regular frequencies
Pin holes	√		Check at regular frequencies
Pins	√		Check at regular frequencies
Wire lines	√		Check at regular frequencies
Sheaves	√		Check at regular frequencies
Bearings & seals	√		Check at regular frequencies
Grease fittings	√		Check at regular frequencies
Hydraulic winches	√		Check at regular frequencies
Hydraulic cylinders	√		Check at regular frequencies
Hydraulic hoses	√		Check at regular frequencies
Cylinders hinges	√		Check at regular frequencies
Number of visible marks applied	√		Check at regular frequencies
Welds	√		Check at regular frequencies

**Remarks:**

**CAT III inspection was performed on the substructure and found accepted at the time of inspection**

<b>Inspector:</b>	<b>Aram Dlawar</b> 	<b>Supervisor:</b>	<b>Hasan Omran</b> 
<b>OEM:</b>			



International Well Control Forum





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	04-12-2023	Date of Report:	04-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-1
----------------------	------------	-----------------	------------	-----------------	--------------------------

Serial Number	Description of the examined equipment	Result
BG18-08-01 (180802)	Substructure	Pass
Lifting Lugs S/N:	DZ009, DZ010, DZ011, DZ012 (SWL: 6T)	



### NDT Equipment Details

Standard	API RP 4G CAT-III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025


### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		03-06-2024





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	04-12-2023	<b>Date of Report:</b>	04-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-2
-----------------------------	------------	------------------------	------------	------------------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ013 DZ014 DZ015	03	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 20 MM Pin Hole: 40 MM Length: 114 MM Width: 116 MM Location: SUPPORTING BEAM(SBS-1)	1 T	N/A
				
				

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
	YES	NO			YES	√	NO	√
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	04-12-2023	Date of Report:	04-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-3
----------------------	------------	-----------------	------------	-----------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ016 DZ017 DZ018	03	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 20 MM Pin Hole: 40 MM Length: 114 MM Width: 116 MM Location: SUPPORTING BEAM(SBS-2)	1 T	N/A




<b>Reference Standard:</b>	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	<input checked="" type="checkbox"/>
Was the examination carried out: Within an interval of 6 months?	YES	NO	<input checked="" type="checkbox"/>
With an interval of 12 months?	YES	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	<input checked="" type="checkbox"/>
In accordance with an examination scheme?	YES	NO	<input checked="" type="checkbox"/>
After the occurrence of exceptional circumstances?	YES	NO	<input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>			
Is the above a defect which is of immediate danger to persons:	YES	NO	<input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above: <b>None</b>			
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>			

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

<b>NDT Results</b>	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: <b>None</b>	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: <b>None</b>	

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
Aram Dlawar	Hasan Omran
	<b>Signature &amp; Stamp:</b>





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	04-12-2023	Date of Report:	04-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-4
----------------------	------------	-----------------	------------	-----------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ019 DZ023 DZ024	03	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 20 MM Pin Hole: 40 MM Length: 114 MM Width: 116 MM Location: SUPPORTING BEAM(SN:DZ-99-7)	1 T	N/A



Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
	YES	NO	✓		With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓	In accordance with an examination scheme?	YES	NO	✓
	YES	NO	✓		After the occurrence of exceptional circumstances?	YES	NO

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:






Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	04-12-2023	Date of Report:	04-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-5
----------------------	------------	-----------------	------------	-----------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ020 DZ021 DZ022	03	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 20 MM Pin Hole: 40 MM Length: 114 MM Width: 116 MM Location: SUPPORTING BEAM(SN:DZ-99-8)	1 T	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
	YES	NO			YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

IS THIS EQUIPMENT SAFE TO OPERATE? YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	05-12-2023	Date of Report:	05-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-6
----------------------	------------	-----------------	------------	-----------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
R1 R2 R3 R4 R5 R6	06	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 30 MM Pin Hole: 62 MM Length: 144 MM Width: 202 MM  Location: BOP pad eyes under rig floor	3 T	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
				With an interval of 12 months?	YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	05-12-2023	<b>Date of Report:</b>	05-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-7
-----------------------------	------------	------------------------	------------	------------------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
R7 R8	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 30 MM Pin Hole: 62 MM Length: 144 MM Width: 202 MM  Location: BOP pad eyes under rig floor	3 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
					YES		NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	05-12-2023	<b>Date of Report:</b>	05-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-8
-----------------------------	------------	------------------------	------------	------------------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
R10 R9	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 25 MM Pin Hole: 39 MM Length: 140 MM Width: 193 MM Location: fall arrestor pad eyes under rig floor	2 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
				With an interval of 12 months?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	NO	✓
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	05-12-2023	<b>Date of Report:</b>	05-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-9
-----------------------------	------------	------------------------	------------	------------------------	--------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
R11	04	Fabricated Pad Eyes	5 T	N/A
R12		Pad Eye Dimension		
R13		Thickness: 32 MM		
R14		Pin Hole: 61 MM		
		Length: 136 MM		
		Width: 138 MM		
		Location: BOP beam under rig floor(SN:DZ066)		

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	✓	NO	
					After the occurrence of exceptional circumstances?	YES		NO

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
Aram Dlawar	Hasan Omran
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	<b>ATS-12-23-2486</b>
---------------------	--	--------------------	--------	--------------------	-----------------------

<b>Date of Examination:</b>	05-12-2023	<b>Date of Report:</b>	05-12-2023	<b>Certificate No:</b>	<b>ATS-12-23-2486-SBS-001-10</b>
-----------------------------	------------	------------------------	------------	------------------------	----------------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
R15 R16 R17 R18	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 32 MM Pin Hole: 61 MM Length: 136 MM Width: 138 MM Location: BOP beam under rig floor(SN:DZ062)	5 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	YES	NO	✓
				In accordance with an examination scheme?	YES	NO	
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-11
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ05 DZ006 RF7 RF6	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 16 MM Pin Hole: 22 MM Length: 160 MM Width: 87 MM Location: Under rig floor	3 T	N/A

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
	YES	NO			YES	✓	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>	
Aram Dlawar	Hasan Omran	
	Signature & Stamp:	



<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-12
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ38 RF8	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 16 MM Pin Hole: 39 MM Length: 132 MM Height: 98 MM Location: Under rig floor	2.5 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
					YES		NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	√	NO	
					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any pFart found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-13
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
S3 S4	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 16 MM Pin Hole: 39 MM Length: 132 MM Height: 98 MM Location: Under rig floor	3 T	N/A
		 		

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
					YES		NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	√	NO	
					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-14
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ26 DZ27 DZ22 DZ23	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 50 MM Pin Hole: 75 MM Length: 400 MM Height: 275 MM Location: substructure	10 T	N/A

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	√
	YES	NO			YES	√	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO √

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES √ NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-15
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
RF9 RF14 DZ30 DZ31 DZ32 DZ33	06	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 400 MM Height: 102 MM Location: substructure	4 T	N/A
				

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
	YES	NO			YES	✓	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	<b>RIG-99</b>	<b>Job Number:</b>	<b>ATS-12-23-2486</b>
---------------------	--	--------------------	---------------	--------------------	-----------------------

<b>Date of Examination:</b>	<b>15-12-2023</b>	<b>Date of Report:</b>	<b>15-12-2023</b>	<b>Certificate No:</b>	<b>ATS-12-23-2486-SBS-001-16</b>
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
RF15 RF10	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 50 MM Pin Hole: 40 MM Length: 102 MM Height: 118 MM Location: substructure	5 T	N/A
		 		

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	√
	YES	NO			YES	√	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) **N/A**

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>



International Well Control Forum



Tel: +964 7833334444 +964 7822222633

Emails: [akader@aberdeents.com](mailto:akader@aberdeents.com)

[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)

ATS-RIG-F-006 ISSUE 1 JUN 2023



<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-17
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ34 DZ35 DZ36 DZ37	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 118 MM Height: 228 MM Location: substructure (rig floor plate)	2 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
	YES	NO			YES	✓	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	15-12-2023	<b>Date of Report:</b>	15-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-18
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ78 DZ79 DZ80 DZ81	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 118 MM Height: 228 MM Location: substructure (rig floor plate)	2 T	N/A



**Reference Standard:**

LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	√
	YES	NO			YES	√	NO	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO √

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES √ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	16-12-2023	<b>Date of Report:</b>	16-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-19
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
		Fabricated Pad Eyes	2 T	N/A
DZ24 DZ26 DZ28 DZ29	04	Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 118 MM Height: 228 MM Location: substructure (rig floor plate)		

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	√	NO	
				With an interval of 12 months?	YES		NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	√	NO	
				After the occurrence of exceptional circumstances?	YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:  
**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	16-12-2023	<b>Date of Report:</b>	16-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-20
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
		Fabricated Pad Eyes	2 T	N/A
DZ83 DZ84 DZ85 DZ86	04	Pad Eye Dimension Thickness: 25 MM Pin Hole: 40 MM Length: 118 MM Height: 228 MM Location: substructure (rig floor plate)	   	

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	YES	NO	✓
				In accordance with an examination scheme?	YES	NO	
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓


Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:  
**IS THIS EQUIPMENT SAFE TO OPERATE?** YES ✓ NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

**NDT Results**  
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection  
Identification of any part found to have a defect and a description of the defect: **None**  
Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	16-12-2023	<b>Date of Report:</b>	16-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-21
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ001 DZ002 DZ003 DZ004	04	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 31 MM Pin Hole: 37 MM Length: 331 MM Height: 219 MM Location: substructure (rig floor)	2.5 T	N/A



**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	√	NO	
				With an interval of 12 months?	YES		NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme?	YES	√	NO	
				After the occurrence of exceptional circumstances?	YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:  
**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	16-12-2023	Date of Report:	16-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-22
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
RF1 RF2	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 20 MM Pin Hole: 41 MM Length: 161 MM Height: 131 MM Location: substructure (rig floor)	5 T	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
					YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO:WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO:Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


#### NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal or alteration required to remedy the defect identified above: None

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	16-12-2023	Date of Report:	16-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-23
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
RF3	01	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 30 MM Pin Hole: 40 MM Length: 200 MM Height: 195 MM Location: substructure (rig floor)	5 T	N/A



Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	YES	✓	NO	✓
				In accordance with an examination scheme?	YES	✓	NO	✓
				After the occurrence of exceptional circumstances?	YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:  
IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO:WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO:Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal or alteration required to remedy the defect identified above: None

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------

<b>Date of Examination:</b>	16-12-2023	<b>Date of Report:</b>	16-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-24
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ003 DZ004	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 16 MM Pin Hole: 30 MM Length: 102 MM Height: 175 MM Location: substructure (rig floor)	5 T	N/A
				

**Reference Standard:** LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
					YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:  
**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO:WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO:Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>
<b>Aram Dlawar</b>	<b>Hasan Omran</b>
	<b>Signature &amp; Stamp:</b>





<b>Customer:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Date Of Service:</b>	<b>04-Dec-2023</b>
<b>Type Of Inspection:</b>	<b>CAT III INSPECTION</b>	<b>Report No:</b>	<b>ATS-12-23-2486-SBS-001</b>
<b>Rig &amp; Rig Number:</b>	<b>RIG-99</b>	<b>Specification:</b>	<b>API RP 4G</b>

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	<b>Hilong Oil Services &amp; Engineering</b>	<b>Rig Number:</b>	RIG-99	<b>Job Number:</b>	ATS-12-23-2486
---------------------	--	--------------------	--------	--------------------	----------------


<b>Date of Examination:</b>	16-12-2023	<b>Date of Report:</b>	16-12-2023	<b>Certificate No:</b>	ATS-12-23-2486-SBS-001-25
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
RF23 RF24	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 36 MM Pin Hole: 38 MM Length: 197 MM Height: 144 MM Location: substructure	3 T	N/A
				

<b>Reference Standard:</b>		LEEA DOC 048:2015							
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	√	
	YES	NO			YES	√	NO	√	
If the answer to the above question is YES has the equipment been installed correctly?					YES		NO	√	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>									
Is the above a defect which is of immediate danger to persons:						YES		NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>						YES	√	NO	

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO:WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO:Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results		
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection		
Identification of any part found to have a defect and a description of the defect: <b>None</b>		
Particulars of any repair, renewal or alteration required to remedy the defect identified above: <b>None</b>		
<b>Name of Inspector:</b>	<b>Name of person authenticating this report:</b>	
Aram Dlawar	Hasan Omran	
	Signature & Stamp:	





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	04-12-2023	Date of Report:	04-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-26
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor) cat head	Pass
S/N:	CAT1 + CAT2	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		03-06-2024





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	05-12-2023	Date of Report:	05-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-27
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (Under rig floor)	Pass
pad eyes S/N:	R1+R2+R3+R4+R5+R6+R7+R8+R9+R10+R11+R12+R13+R14+R15+R16+R17+R18	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		04-06-2024





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	15-12-2023	Date of Report:	15-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-28
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor)	Pass
S/N:	L1+L2+L3+L4+L5+L6+L7+L8	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		14-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	15-12-2023	Date of Report:	15-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-29
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor)	Pass
S/N:	VD-1 + VD-2	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp	Date of Next Through Examination:
<b>Aram Dlawar</b>		<b>14-12-2025</b>






Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	16-12-2023	Date of Report:	16-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-30
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
S/N:	RF11+RF12+RF13+RF16+RF17+RF18+RF4+RF5+R19+R20+R21+R22	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		15-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

### Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	20-12-2023	Date of Report:	20-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-31
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
pad eyes S/N:	RF33+RF30+RF31+RF32+RF38	



#### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


#### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		19-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	20-12-2023	Date of Report:	20-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-32
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
pad eyes S/N:	RF34+RF35+RF36+RF37+RF45	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		19-12-2025



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	20-12-2023	Date of Report:	20-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-33
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
pad eyes S/N:	RF39+RF40+RF41+RF42+RF43+RF44+RF46+RF47	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		19-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	21-12-2023	Date of Report:	21-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-34
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
pad eyes S/N:	DZ26-1 + SB1+SB2+SB3+SB4+SB5-1 + SB5+SB6+SB8+SB7+SB9+SB10+SB11+DZ20+DZ21	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


### NDT Results

Visual and MPI carried out for the above-mentioned items (only accessible welding area) and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		20-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	21-12-2023	Date of Report:	21-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-35
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
pad eyes S/N:	DZ26 + SB12+SB13+SB14+SB15+SB16+ SB17+SB18+SB19+SB20+SB21+SB22+SB23	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items (only accessible welding area) and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		20-12-2025



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-36
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802 (DZ-99-7)	Substructure (supporting beam)	Pass
Connection point S/N:	SB24+SB25	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp	Date of Next Through Examination:
<b>Aram Dlawar</b>		<b>21-12-2025</b>



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-37
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802 (DZ-99-8)	Substructure (supporting beam)	Pass
Connection point S/N:	SB26+SB27	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-38
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802 (SBS-1)	Substructure (supporting beam)	Pass
Connection point S/N:	SB28+SB29	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp	Date of Next Through Examination:
Aram Dlawar		21-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-39
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802 (SBS-2)	Substructure (supporting beam)	Pass
Connection point S/N:	SB30+SB31	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025



International Well Control Forum





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

**Certificate of Thorough Examination & NDT of Lifting Equipment**

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	21-12-2023	Date of Report:	21-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-40
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ20 DZ21	02	Fabricated Pad Eyes  Pad Eye Dimension Thickness: 19 MM Pin Hole: 50 MM Length: 146 MM Height: 142 MM Location: substructure( counter weight balance)	3 T	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	YES	NO	✓
				In accordance with an examination scheme?	YES	NO	✓
				After the occurrence of exceptional circumstances?	YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO ✓

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

**NDT Equipment Details**

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Ac yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO:WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO:Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


**NDT Results**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Hasan Omran
	Signature & Stamp:





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-41
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (supporting beam of rig floor plates)	Pass
Connection point S/N:	-	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025


### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-42
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor plates connecting point, left side)	Pass
Connection point S/N:	-	

### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: <b>None</b>
Particulars of any repair, renewal or alteration required to remedy the defect identified above: <b>None</b>

ASNT Level II Inspector Name:	Signature & Stamp	Date of Next Through Examination:
<b>Aram Dlawar</b>		<b>21-12-2025</b>






Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-43
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor plates connecting point and beams, right side)	Pass



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025





Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-44
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure (rig floor) power tong post	Pass
Connection point S/N:	PTB-1 + PTB-2	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: <b>None</b>
Particulars of any repair, renewal or alteration required to remedy the defect identified above: <b>None</b>

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025



Customer:	Hilong Oil Services & Engineering	Date Of Service:	04-Dec-2023
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-12-23-2486-SBS-001
Rig & Rig Number:	RIG-99	Specification:	API RP 4G

## Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engineering	Rig Number:	RIG-99	Job Number:	ATS-12-23-2486
--------------	-----------------------------------	-------------	--------	-------------	----------------

Date of Examination:	22-12-2023	Date of Report:	22-12-2023	Certificate No:	ATS-12-23-2486-SBS-001-45
----------------------	------------	-----------------	------------	-----------------	---------------------------

Serial Number	Description of the examined equipment	Result
180802	Substructure	Pass
Connection point S/N:	-	



### NDT Equipment Details

Standard	API RP 4G CAT IV & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC yoke	Serial No:	201504044	Due Date	16-02-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic Ink-3	Batch No:	L230125/3	Due Date	25-1-2025

### NDT Results

Visual and MPI carried out for the above-mentioned items critical area and found free of surface defects at the time of inspection  
 Identification of any part found to have a defect and a description of the defect: **None**  
 Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

ASNT Level II Inspector Name:	Signature & Stamp:	Date of Next Through Examination:
Aram Dlawar		21-12-2025

