



Customer:	Hilong Oil Services & Engineering	Date Of Service:	29-02-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-DPEL-001
Rig & Rig Number:	RIG-100	Specification:	API RP 8C



## ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company








Customer:	Hilong Oil Services & Engineering	Date Of Service:	29-02-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-DPEL-001
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

The Rig Was Equipped with JIANGSU RUTONG PETRO-MACHINETRY CO. Drill Pipe Elevator, <u>with The Following</u> <u>Specification:</u>

Equipment:	Drill Pipe Elevator, DDZ 3 1/2 EU 150
SN:	80434
Date of Manufacture:	-
Manufacturer/ Model:	JIANGSU RUTONG PTERO-MACHINERY CO
<b>Reference Standard:</b>	API RP 8C
Next Examination Date:	After 6 Months

**Remarks:** 

Detailed reports are attached detailing all readings and results in - 03 of 05 pages.









Customer:	Hilong Oil Services & Engineering	Date Of Service:	29-02-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-DPEL-001
<b>Rig &amp; Rig Number:</b>	RIG-100	Specification:	API RP 8C

PROCEDURE	
The Drill Pipe Elevator Has Been Inspected and Found Conformable to the Relevant Standard(s)	
▶ The Rig was equipped with JIANGSU RUTONG PTERO-MACHINERY CO. LTD Drill Pipe	Elevator.
Drill Pipe Elevator Found Stripped Down for CAT III Inspection.	
Action	Result
Visually check for the serial number and Identification	Pass
• Prepare and clean the elevator body and accessories to the extent necessary for inspection.	Pass
Visually check for any damage, missing parts of cracks	Pass
Visually check & MPI as per manufacture's recommendations	Pass
• Measure the wear of Top & bottom bores, center latch, and link ears etc. as per manufacture's	Pass
recommendations.	r ass
Repaint the Elevator	Pass
Prepare and submit the inspection report.	Pass







Tel: +964 7833334444 +964 7822222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com






Customer:	Hilong Oil Services & Engineering	Date Of Service:	29-02-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-DPEL-001
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

OREINTATION	DESCRIPTION	VALUES	OEM VALUES	RESULT
	The maximum allowable wear tolerance of (D)	95 mm	92 mm	Accepted
RIGHT	The distance "E" from the center line to the center of Arc	162 mm	162 mm	Accepted
	The designed value for radius "R" at the force point	50 mm	50 mm	Accepted
	The maximum allowable wear tolerance of (D)	95 mm	92 mm	Accepted
LEFT	The distance "E" from the center line to the center of Arc	162 mm	162 mm	Accepted
	The designed value for radius "R" at the force point	50 mm	50 mm	Accepted
ТОР	Maximum Allowable (Worn) Load Shoulder Bore TB	100 mm	100.81 mm	Accepted
NECK	NECK Maximum Allowable (Worn)		98.43 mm Max	Accepted

\*\* Visual And MPI Was Carried out on the critical areas and load bearing components of the elevator and Found Satisfactory for Further Use.

> \*\* CAT III Inspection Was Carried Out on the Elevator and Found Accepted At The Time of Inspection







Customer:	Hilong Oil Services & Engineering	Date Of Service:	29-02-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-DPEL-001
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

## Visual & Magnetic Particles Examination Report

Client Name: Hilong Oil Services & Engineering		Location:	R114	Job Number:	ATS-02-24-2999		
Date of Examina	tion:	29-02-2024	Date	of Report:	29-02-2024	Certificate No:	ATS-02-24-2999- DPEL-001

Serial Nu	mber De	Description of the examined equipment						
80434		Drill Pipe Elevator, DDZ 3 <sup>1</sup> / <sub>2</sub> EU 150						
S/N:		80434						
				31/21 81 181	U-150 1434 00018			
		NDT Equipment De	tails					
Standard	API RP 8C & ASTM E 709	Viewing Condition:	Colored Media	Method	WET			
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024			
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028			
Black Ink	FLUXO: Black magnetic ink-3	Batch No: L230125/3		Due Date	25-1-2025			
		NDT procedure						
Visual a	nd MPI carried out for the abov	, i i i i i i i i i i i i i i i i i i i			<b>1</b>			
	Identification of any part f							
Pa	articulars of any repair, renewal	or alteration required to	remedy the defect	identified above	: None			
	vel II Inspector Name: Aram Dlawar	Signature & S	tamp:	Date of Next 1	Through Examination:			
ABERICE ANTICAL AT 28-08-2024								



Tel: +964 7833334444 +964 782222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com