




Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-HS-007
Rig & Rig Number:	RIG-100	Specification:	API RP 7L



ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company








Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-HS-007
Rig & Rig Number:	RIG-100	Specification:	API RP 7L

The Rig Was Equipped with JIANGSU RUTONG PETRO-MACHINETRY CO. Hand Slip, with The Following Specification:

Equipment:	Hand Slip (Drill collar slip), DCS.S 4 – 4 7/8
SN:	807088
Date of Manufacture:	-
Manufacturer/Model:	JIANGSU RUTONG PTERO-MACHINERY CO
Reference Standard:	API RP 7L
Next Examination Date:	After 06 Months

Remarks:

Detailed reports are attached detailing all readings and results in - 03 of 05 pages.







Pass

Pass

Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-HS-007
Rig & Rig Number:	RIG-100	Specification:	API RP 7L

PROCEDURE			
The Drill collar Slip Has Been Inspected and Found Conformable to the Relevant Standard(s)			
> The Rig was equipped with JIANGSU RUTONG PTERO-MACHINERY CO. LTD Drill collar			
Drill collar Slip Found Stripped Down for CAT III Inspection.			
Action	Result		
Visually check for the serial number and Identification	Pass		
Prepare and clean the slip body and accessories to the extent necessary for inspection.	Pass		
Visually check for any damage, missing parts of cracks	Pass		
• For Rotary, Dc and Casing Slips: Visually checked for damage, deformations or cracks on the hinges	Pace		

- brackets, slips segments with tail slot handles and hinge pin.
- Place a straight edge against the backs and inside face of the slips to check if they are bend or wear. A good slip back is straight, smooth, and well-greased.
- Perform MPI as Per Manufacture's Recommendations of Hinged Connections Body (inside & Outside), Handles Guide Halves, Slips Top Cover Halves, Etc...
 Repaint the slip
 Pass
- Prepare and submit the inspection report.
- 18 3/16 in. (3-5 mm) MAX. CREARANCE SLIP INSERT SLIP SLOT



5200

Tel: +964 7833334444 +964 7822222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com





Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-HS-007
Rig & Rig Number:	RIG-100	Specification:	API RP 7L

DESCRIPTION	VALUES	OEM VALUES	RESULT
The allowable Maximum wear on the outside	0.00	1.6	Accepted
surface of the slip.	0.00	1.0	Accepted

** Visual And MPI Was Carried out on the critical areas and load bearing components of the slip and Found Satisfactory for Further Use.

> ** CAT III Inspection Was Carried Out on the slip and Found Accepted At The Time of Inspection

		EN TECHNICAL SE
Inspector:	Aram Dlawar Ramana	Supervisor: Hasan Omran
Client representative:		ABERDEEN
		Contraction of the second s



Tel: +964 7833334444 +964 782222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com





Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-HS-007
Rig & Rig Number:	RIG-100	Specification:	API RP 7L

Visual & Magnetic Particles Examination Report

Client Name: Hilong Oil Services & Engineering		Location:		R114	Job N	umber:	ATS-02-24-2999		
Date of Examination: 01-03-2024 Date of Report: 01-0					2024	Certifica	ate No:	ATS-02	2-24-2999-HS-007-1

Serial Nu	mber De	escription of the exan	nined equipmen	t	Result	
80708	8 Ha	and Slip (Drill collar slip)	, DCS.S 4-47/8		Pass	
S/N:		807088				
Standard	API RP 7L & ASTM E 709	NDT Equipment De Viewing Condition:	Colored Media	Method	WET	
Yoke	APTRP 7L & ASTIVLE 709 AC	Serial No:	201504044	Due Date	04-07-2024	
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028	
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025	
2.001		NDT procedure				
Visual a	nd MPI carried out for the abov			ects at the time	of inspection	
	Identification of any part for					
Pa	articulars of any repair, renewal	or alteration required to	remedy the defect i	dentified above	: None	
	ASNT Level II Inspector Name: Signature & Stamp Date of Next Through Examinatio					
Aram Dlawar ABERDEEA 07 31-08-2024					-08-2024	



Tel: +964 7833334444 +964 7822222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com