




Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
<b>Rig &amp; Rig Number:</b>	<b>RIG-100</b>	Specification:	API RP 8C



## ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company








Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

The Rig Was Equipped with JIANGSU RUTONG PETRO-MACHINETRY CO. Safety Clamp, <u>with The Following</u> <u>Specification:</u>

Equipment:	Safety slip 2 7/8
Model/SN:	132296
Date of Manufacture:	-
Manufacturer:	JIANGSU RUTONG PETRO-MACHINETRY
<b>Reference Standard:</b>	API RP 8C
Next Examination Date:	After 1 Year

**Remarks:** 

Detailed reports are attached detailing all readings and results in - 03 of 06 pages.








Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
<b>Rig &amp; Rig Number:</b>	RIG-100	Specification:	API RP 8C

	PROCEDURE				
$\succ$	The Safety slips Has Been Inspected and Found Conformable to the Relevant Standard(s)				
$\succ$	> The Rig was equipped with JIANGSU RUTONG PETRO-MACHINETRY CO. LTD Safety slips.				
$\succ$	Safety slips Found Stripped Down /Dismantling Condition for CAT IV Inspection.				
	Action	Result			
•	Visually check for the serial number and Identification	Pass			
•	Prepare and clean the clamp body and accessories to the extent necessary for inspection.	Pass			
•	Dismantle the clamp as far as possible into single components	Pass			
٠	Visually Check for Cracks, Deformation, Missing Cotters Pins, Deformed Nuts, Broken Slips Springs and	Pass			
	Movement of Slips.				
٠	Visually Check the Threads	Pass			
٠	Perform MPI On All Slips Elements, Pins and Hold Studs	Pass			
٠	Reassemble the clamp	Pass			
•	Visually check after Reassembly	Pass			
٠	Repaint the clamp	Pass			
•	Prepare and submit the inspection report.	Pass			

\*\* Visual And MPI Was Carried out on the critical areas and load bearing components of the clamp and Found Satisfactory for Further Use.


> \*\* CAT IV Inspection Was Carried Out on the clamp and Found Accepted At The Time of Inspection







Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
Rig & Rig Number:	RIG-100	Specification:	API RP 8C



Measurement	Nominal	Tolerance	Actual Reading	Result
Pin OD No. 01 (Handle)	-	25	25.00	Accepted
Max Hole ID No. 01	-	25.4	25.35	Accepted
Clearance A: No. 01	-	1.02	0.35	Accepted
Pin OD No. 02 (Handle)	-	25	25.00	Accepted
Hole ID No. 02	-	25.4	25.35	Accepted
Clearance A: No. 02	-	1.02	0.35	Accepted
Pin OD No. 03 (Handle)	-	25	25.00	Accepted
Hole ID No. 03	-	25.4	25.35	Accepted
Clearance A: No. 03	-	1.02	0.35	Accepted
Pin OD No. 04 (Handle)	-	25	25.00	Accepted
Hole ID No. 04	-	25.4	25.35	Accepted
Clearance A: No. 04	-	1.02	0.35	Accepted
Pin OD No. 05 (Handle)	-	25	25.00	Accepted
Hole ID No. 05	-	25.4	25.35	Accepted
Clearance A: No. 05	-	1.02	0.35	Accepted




Tel: +964 7833334444 +964 782222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com






Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
<b>Rig &amp; Rig Number:</b>	RIG-100	Specification:	API RP 8C



Measurement	Nominal	Tolerance	Actual Reading	Result
Insert Carrier - Insert Clearance No. 01 B	-	1.6	0.640	Accepted
Insert Carrier - Insert Clearance No. 02 B	-	1.6	0.635	Accepted
Insert Carrier - Insert Clearance No. 03 B	-	1.6	0.635	Accepted
Insert Carrier - Insert Clearance No. 04 B	-	1.6	0.635	Accepted
Insert Carrier - Insert Clearance No. 05 B	-	1.6	0.635	Accepted







Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT IV INSPECTION	Report No:	ATS-02-24-2999-SC-003
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

# Visual & Magnetic Particles Examination Report

Client Name:	nt Name: Hilong Oil Services & Engineering		Location:	]	R114	Job N	umber:	ATS-02-24-2999	
Date of Examination: 01-03-2024 Date of F			Date of Repor	rt: 01-03-2	2024	Certifica	nte No:	ATS-02	2-24-2999-SC-003-1

Serial Nu	mber De	Description of the examined equipment Result								
13229		Safety slip , 2			Pass					
S/N:			132296							
		NDT Equipment De			=					
Standard	API RP 8C & ASTM E 709	Viewing Condition:	Colored Media	Method	WET					
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024					
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028					
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025					
Visual a	nd MPI carried out for the abov	NDT procedure		acts at the time	of inspaction					
visual a	Identification of any part for									
Pa	irticulars of any repair, renewal									
ASNT Level II Inspector Name: Date of Next Through Examination: Aram Dlawar Aram Dlawar 28-02-2025										
		Carling and the second								



Tel: +964 7833334444 +964 782222633 Emails: <u>akader@aberdeents.com</u> inspection@aberdeents-iq.com