


SQUARE SHOULDER ELEVATOR - CAT III INSPECTION REPORT



Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-TEL-004
Rig & Rig Number:	RIG-100	Specification:	API RP 8C



ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With **Your Honorable Company**

Inspection Date:	01-03-2024	Due Date:	31-08-2	The state of the s	
	_	_	-CHN	ICA.	_

Inspector:	Aram Dlawer & Run-	Supervisor:	Hasan Omran
inspector.	At alli Diawei	Super visor.	ilasan din an
OEM:			ABERDEEN CO





















9647822222633

Emails: akader@aberdeents.com inspection@aberdeents-iq.com







SQUARE SHOULDER ELEVATOR - CAT III INSPECTION REPORT

Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-TEL-004
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

The Rig Was Equipped with Jiangsu Rutong Petro-Machinery Co. Ltd. Square shoulder Elevator, with The Following Specification:

Equipment:	Square Shoulder elevator, DD 4, 150
Model/SN:	DD 150
SN:	80907
Size:	4 "
SWL:	150 tons
Date of Manufacture:	2018-09
Manufacturer:	Jiangsu Rutong Petro-Machinery Co. Ltd.
Reference Standard:	API RP 8C
Next Examination Date:	After 06 Months

Remarks:

Detailed reports are attached detailing all readings and results in page 3 of 5

OEM: Supervisor:























Tel:+964 7833334444 +964 7822222633 Emails: <u>akader@aberdeents.com</u>










Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-TEL-004
Rig & Rig Number	RIC-100	Specification:	API RP 8C

	PROCEDURE	
	ne Elevator Has Been Inspected and Found Conformable to the Relevant Standard(s)	
> Ele	evator Found Ready for CAT III Inspection.	
	Action	Result
• Vis	sually check for the serial number and Identification	Pass
• Pre	epare and clean the elevator body and accessories to the extent necessary for inspection.	Pass
• Vis	sually check for any damage, missing parts of cracks	Pass
• Dis	smantle the elevator to the extent necessary to perform the CAT III inspection.	Pass
• Vis	sually check & MPI as per manufacture's recommendations	Pass
• Vis	sually check for damage, deformation or cracks on the hinge's Ears, handles, Critical areas & hinges	Pass
• Me	easure the wear of bores, and ear thickness as per manufacture's recommendations.	Pass
• Vis	sually check after Reassembly	Pass
• Re	paint the Elevator	Pass
• Pre	epare and submit the inspection report.	Pass




























Tel: +964 7833334444 +964 7822222633 Emails: <u>akader@aberdeents.com</u>







Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-TEL-004
Rig & Rig Number:	RIG-100	Specification:	API RP 8C

OREINTATION	DESCRIPTION	VALUES	OEM VALUES	RESULT
	The maximum allowable wear tolerance of (D)	89 mm	85 mm	Accepted
RIGHT	The distance "E" from the center line to the center of Arc	194 mm	194 mm	Accepted
	The designed value for radius "R" at the force point	55 mm	55 mm	Accepted
	The maximum allowable wear tolerance of (D)	88 mm	85 mm	Accepted
LEFT	The distance "E" from the center line to the center of Arc	194 mm	194 mm	Accepted
	The designed value for radius "R" at the force point	55 mm	55 mm	Accepted
TOP	Maximum Allowable (Worn) Load Shoulder Bore TB	103.10 mm	105.13 mm Max	Accepted
воттом	Maximum Allowable (Worn) Load Shoulder Bore BB	102.10 mm	105.13 mm Max	Accepted
-	The minimum allowable thickness of the elevator load bearing point contact surface (H)	55 mm	55 mm	Accepted

** Visual And MPI Was Carried out on the critical areas and load bearing components of the Elevator and Found Satisfactory for Further Use.

> ** CAT IV Inspection Was Carried Out on the Elevator and Found Accepted At The Time of Inspection

Inspector: Supervisor: OEM:
























Tel: +964 7833334444 +964 7822222633 Emails: akader@aberdeents.com







Customer:	Hilong Oil Services & Engineering	Date Of Service:	01-03-2024
Type Of Inspection:	CAT III INSPECTION	Report No:	ATS-02-24-2999-TEL-004
Rig & Rig Number:	RIG-100	Specification:	API RP 8C


Visual & Magnetic Particles Examination Report

Client Name:	Hilong Oil Services & Engin	eering Location	R114	Job Number:	ATS-02-24-2999
Date of Examination	: 01-03-2024	Date of Report:	01-03-2024	Certificate No:	ATS-02-24-2999- TEL-004

Serial Number	Description of the examined equipment	Result
80907	Square Shoulder elevator, DD 4, 150	Pass
S/N:	80907	







NDT Equipment Details					
Standard	API RP 8C & ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025
NDT procedure					

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal or alteration required to remedy the defect identified above: None

ASNT Level II Inspector Name:

Signature & Stamp:

Date of Next Through Examination:

Aram Dlawar

31-08-2024



















