



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 6 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No., ATS-04-24-3079-MPI-01/01

Main inspection table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination

Reference Standard and compliance questions table

NDT Equipment Details table with columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET

NDT Results table with text: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Inspector and authenticator table with fields: Name of Inspector, Name of person authenticating this report, Signature & Stamp, Latest date by which next thorough examination must be carried out: 11-10-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 6 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No., ATS-04-24-3079-MPI-01/02

Main equipment table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination

Reference Standard and examination questions table

NDT Equipment Details table with columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET

NDT Results table

Inspector and authenticator table





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/03
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ009 JJ010	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 35 mm Pin Hole : 40 mm Height: 170 mm Length: 200 mm Location : Mast- Monkey Board	30 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details

Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 6 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No., ATS-04-24-3079-MPI-01/04

Main equipment details table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination

Reference Standard and examination questions table

NDT Equipment Details table with columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET

NDT Results table

Inspector and authenticator information table





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Hilong Oil Services & Engineering, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 6 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No., ATS-04-24-3079-MPI-01/05

Main table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes details for fabricated pad eyes and three photographs.

Reference Standard: LEEA DOC 048:2015. Inspection questions regarding examination frequency and safety.

NDT Equipment Details table listing standards (API RP 4G, ASTM E709), viewing conditions, and due dates for various equipment.

NDT Results section stating visual and MPI examination found no defects.

Inspector and authenticator information table including signatures and dates.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 6 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079-MPI-01/06

Main table with columns: Pad Eye S/N, QTY, Description, SWL, Date of last Thorough examination. Includes a photo of a pad eye.

Reference Standard: LEEA DOC 048:2015. Inspection questions and answers regarding examination frequency and safety.

NDT Equipment Details table listing standards (API RP 4G CAT III, ASTM E709), viewing conditions, and due dates for various equipment.

NDT Results section stating 'Visual and MPI carried out for the above description and found free of surface defects at the time of inspection'.

Inspector and authenticator information table including Name of Inspector (Jaafar Badr), Name of person authenticating (Hasan Omran), and Latest date by which next thorough examination must be carried out (11-10-2024).





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/07
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ011 JJ012 JJ013 JJ014	04	Fabricated Pad Eyes (Mast Guy Line Pad Eyes) Pad Eye Dimension Thickness: 36 mm Pin Hole : 40 mm Height: 200 mm Length: 160 mm Location : Upper Mast	30 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/08
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ002 JJ003 JJ004 JJ005	04	Fabricated Pad Eyes (Crown Block Guy Line Pad Eyes) Pad Eye Dimension Thickness: 36 mm Pin Hole : 40 mm Height: 200 mm Length: 160 mm Location : Upper Mast- Under Crown Block	50 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	NO	√
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	
					YES	NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results
 Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: **NONE**
 Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/09
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ032 JJ033	02	Fabricated Pad Eyes (ESP Sheave Pad Eyes) Pad Eye Dimension Thickness: 26 mm Pin Hole : 38 mm Height: 152 mm Length: 123 mm Location : Lower Mast	5 TON	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 12 months?	YES	<input type="checkbox"/>	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/10
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eye S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ29	01	Fabricated Pad Eyes (Crown Block Fall Arrestor Pad Eyes) Pad Eye Dimension Thickness: 20 mm Pin Hole : 30 mm Height: 100 mm Length: 80 mm Location : Mast- Crown Block	25 KN	New
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 12 months?	YES	<input type="checkbox"/>	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/11
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ-27 JJ-28 JJ-30 F09	04	Fabricated Pad Eyes Pad Eye Dimension Thickness: 20 mm Pin Hole : 30 mm Height: 80 mm Length: 60 mm Location : Mast- Crown Block	25 KN	New
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>			
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>			
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/12
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ006 JJ007	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 40 mm Pin Hole : 50 mm Height: 210 mm Length: 200 mm Location : Upper Mast- Under Crown Block	60 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	NO	√
					YES	NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	√
					YES	NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025


NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with client details: Client Name: Hilong Oil Services & Engineering, Rig Number: HL-101, Job Number: ATS-04-24-3079

Table with examination details: Date of Examination: 12-04-2024, Date of Report: 12-04-2024, Certificate No: ATS-04-24-3079-MPI-01/13

Main equipment details table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes photos of the pad eyes.

Reference Standard and inspection questions table. Reference Standard: LEEA DOC 048:2015. Includes questions about examination frequency and safety.

NDT Equipment Details table listing standards (API RP 4G CAT III & ASTM E709), viewing conditions, and due dates for various NDT methods.

NDT Results section stating: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection.

Inspector and authenticator table. Name of Inspector: Jaafar Badr, Name of person authenticating this report: Hasan Omran. Includes signature and stamp area.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-01/14
-----------------------------	------------	------------------------	------------	------------------------	---------------------------

Pad Eye S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ023	01	Fabricated Pad Eyes Pad Eye Dimension Thickness: 20 mm Pin Hole : 40 mm Height: 180 mm Length: 145 mm Location : Upper Mast- Crown Block	50 KN	New
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	NO	√
					YES	NO	√
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	√
					YES	NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	

