



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 5 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079- MPI-03B/01

Main inspection table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes photos of pad eyes.

Reference Standard and compliance table. Includes questions about examination frequency and safety.

NDT Equipment Details table listing various tools like Yoke, Vernier Caliper, White Contrast, and Black Ink with their specifications.

NDT Results section stating 'Visual and MPI carried out for the above description and found free of surface defects at the time of inspection'.

Inspector and authenticator information table. Includes Name of Inspector (Jaafar Badr), Name of person authenticating (Hasan Omran), and Latest date by which next thorough examination must be carried out (11-10-2024).





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 4 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079- MPI-03B/02

Main equipment table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes photos of pad eyes.

Reference Standard and examination questions table. Includes questions about first examination, installation correctness, and safety.

NDT Equipment Details table listing standards (API, ASTM), viewing conditions, and due dates for various tools.

NDT Results section with text: Visual and MPI carried out for the above description and found free of surface defects...

Inspector and authenticator information table. Includes Name of Inspector (Jaafar Badr), Name of person authenticating (Hasan Omran), and latest date for next examination (11-10-2024).





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/03
-----------------------------	-------------------	------------------------	-------------------	------------------------	-----------------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT066 ZT065	02	Fabricated Pad Eyes (Supported Beam Lifting Pad Eyes) Pad Eye Dimension Thickness: 13 mm Pin Hole : 50 mm Height: 130 mm Length: 145 mm Location : Substructure Base	5 KN 	New

Reference Standard:	LEEA DOC 048:2015										
Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>		
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>		
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE											
Is the above a defect which is of immediate danger to persons:								YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)								N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE											
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 5 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079- MPI-03B/04

Main equipment table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes images of pad eyes.

Reference Standard and examination questions table. Includes questions about first examination, installation correctness, and defect identification.

NDT Equipment Details table with columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET.

NDT Results section with text: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection.

Inspector and authenticator table. Name of Inspector: Jaafar Badr, Name of person authenticating this report: Hasan Omran.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/05
-----------------------------	------------	------------------------	------------	------------------------	----------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT041 ZT042 ZT043 ZT044	04	Fabricated Pad Eyes (Substructure Lifting Pad Eyes) Pad Eye Dimension Thickness: 30 mm Pin Hole : 50 mm Height: 180 mm Length: 300 mm Location : Rig Floor	70 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/06
-----------------------------	-------------------	------------------------	-------------------	------------------------	-----------------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT033 ZT034 ZT035 ZT036	04	Fabricated Pad Eyes (Substructure Lifting Pad Eyes) Pad Eye Dimension Thickness: 30 mm Pin Hole : 50 mm Height: 180 mm Length: 300 mm Location : Rig Floor	50 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		Was the examination carried out: With an interval of 12 months?	YES	<input type="checkbox"/>	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>	In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/07
-----------------------------	------------	------------------------	------------	------------------------	----------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT157 ZT158	02	Fabricated Pad Eyes (Power Swivel Anchor Pad Eyes) Pad Eye Dimension Thickness: 16 mm Pin Hole : 40 mm Height: 180 mm Length: 145 mm Location : Rig Floor	50 KN	New

Reference Standard:	LEEA DOC 048:2015							
Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>				
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>				
	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>				
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE								
Is the above a defect which is of immediate danger to persons:					YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE								
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 5 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079- MPI-03B/08

Main equipment table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes images of pad eyes.

Reference Standard: LEEA DOC 048:2015

Inspection questions table with YES/NO columns and checkmarks.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with 6 columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET. Lists Yoke, Vernier Caliper, White Contrast, Black Ink.

NDT Results: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection. Identification of any part found to have a defect and a description of the defect: NONE. Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Inspector and authenticator table. Name of Inspector: Jaafar Badr. Name of person authenticating this report: Hasan Omran. Latest date by which next thorough examination must be carried out: 11-10-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Hilong Oil Services & Engineering, Rig Number, HL-101, Job Number, ATS-04-24-3079

Table with 4 columns: Date of Examination, 12-04-2024, Date of Report, 12-04-2024, Certificate No, ATS-04-24-3079- MPI-03B/09

Main equipment table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes and images.

Reference Standard: LEEA DOC 048:2015

Inspection questions table with columns for YES/NO and checkmarks.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with 6 columns: Standard, API RP 4G CAT III & ASTM E709, Viewing Condition, Colored Media, Method, WET. Includes Yoke, Vernier Caliper, White Contrast, Black Ink.

NDT Results section: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection. Identification of any part found to have a defect and a description of the defect: NONE. Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Inspector and authenticator table with columns: Name of Inspector, Name of person authenticating this report, Signature & Stamp, Latest date by which next thorough examination must be carried out: 11-10-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/10
-----------------------------	------------	------------------------	------------	------------------------	----------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT135 ZT136 ZT137 ZT138	04	Fabricated Pad Eyes Pad Eye Dimension Thickness: 25 mm Pin Hole : 50 mm Height: 210 mm Length: 220 mm Location : Substructure – Ladder No: L-02	5 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/11
-----------------------------	------------	------------------------	------------	------------------------	----------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
L3 L4	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 25 mm Pin Hole : 50 mm Height: 210 mm Length: 220 mm Location : Substructure – Ladder No: L-02	5 KN	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	YES	<input type="checkbox"/>	NO	<input type="checkbox"/>		YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Jaafar Badr	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 11-10-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-101	Job Number:	ATS-04-24-3079
---------------------	-----------------------------------	--------------------	--------	--------------------	----------------

Date of Examination:	12-04-2024	Date of Report:	12-04-2024	Certificate No:	ATS-04-24-3079- MPI-03B/12
-----------------------------	------------	------------------------	------------	------------------------	----------------------------

Pad Eyes S/N	QTY	Description	SWL	Date of last Thorough examination
ZT131 ZT132 ZT133 ZT134	04	Fabricated Pad Eyes Pad Eye Dimension Thickness: 25 mm Pin Hole : 50 mm Height: 210 mm Length: 220 mm Location : Substructure – Ladder No: L-03	8 TON	New

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	
					YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G CAT III & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Jaafar Badr	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 11-10-2024	

