



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name: Hilong Oil Services & Engineering, Rig Number: HL-99, Job Number: ATS-05-24-3200

Date of Examination: 21/05/2024, Date of Report: 21/05/2024, Certificate No: ATS-05-24-3200-126

Table with columns: Serial Number, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes (2 TONS) and images of the equipment.

Reference Standard: LEEA DOC 048:2015

Table with inspection questions and checkboxes, such as 'Is this the first examination after Installation...' and 'Was the examination carried out: Within an interval of 6 months?'

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table for NDT Equipment Details with columns: Standard, Viewing Condition, Colored Media, Method, etc.

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: NONE

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Table for Inspector and Authenticator details: Name of Inspector (Aram Dlawar), Name of person authenticating this report (Hasan Omran), and Latest date by which next thorough examination must be carried out: 20-11-2024






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------


Serial Number:	QTY	Description	SWL	Date of last Thorough examination
		Fabricated Pad Eyes	2 TONS	N/A
DZ79 DZ80 DZ81 DZ24 10	05	Pad Eye Dimension Thickness: 25 MM Pin Hole : 40 MM Length : 118 MM Height : 228 MM Location: RIG FLOOR SN: 180802	  	

Reference Standard:	LEEA DOC 048:2015		
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	✓	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE)	NONE		

Is the above a defect which is of immediate danger to persons:	YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	NONE	
IS THIS EQUIPMENT SAFE TO OPERATE?	YES	✓

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar 	Hasan Omran
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 20-11-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with 6 columns: Client Name, Hilong Oil Services & Engineering, Rig Number, HL-99, Job Number, ATS-05-24-3200

Table with 6 columns: Date of Examination, 21/05/2024, Date of Report, 21/05/2024, Certificate No, ATS-05-24-3200-126

Main table with columns: Serial Number, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes with dimensions and photos.

Reference Standard: LEEA DOC 048:2015. Inspection questions regarding installation and examination intervals.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with 6 columns: Standard, ASTM E709, Viewing Condition, Colored Media, Method, WET. Lists inspection tools like Yoke, Vernier Caliper, etc.

Table with 1 column: NDT Results. Visual and MPI carried out for the above description and found free of surface defects at the time of inspection.

Table with 3 columns: Name of Inspector, Name of person authenticating this report, Latest date by which next thorough examination must be carried out: 20-11-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ84 DZ85 DZ86	03	Fabricated Pad Eyes Pad Eye Dimension Thickness: 25 MM Pin Hole : 40 MM Length : 118 MM Height : 228 MM Location: RIG FLOOR SN: 180802	2 TONS	N/A

Reference Standard:	LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	
Was the examination carried out: Within an interval of 6 months? With an interval of 12 months?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		
In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE				
Is the above a defect which is of immediate danger to persons:	YES		NO	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE				

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 20-11-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
11 12	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 20 MM Pin Hole : 41 MM Length : 161 MM Height : 131 MM Location: RIG FLOOR SN: 180802	5 TONS	N/A

Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	Was the examination carried out: Within an interval of 6 months?		
			YES	NO	
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	With an interval of 12 months?		
			YES	NO	
		In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
		YES	NO		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE					
IS THIS EQUIPMENT SAFE TO OPERATE?					YES
					NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 20-11-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ001 DZ002 DZ003 DZ004	04	Fabricated Pad Eyes Pad Eye Dimension Thickness: 31 MM Pin Hole : 37 MM Length : 331 MM Height : 219 MM Location: RIG FLOOR SN: 180802	2.5 TONS	N/A

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
	YES	NO			YES	✓	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: **NONE**
Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar	Hasan Omran	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 20-11-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with client details: Client Name: Hilong Oil Services & Engineering, Rig Number: HL-99, Job Number: ATS-05-24-3200

Table with examination details: Date of Examination: 21/05/2024, Date of Report: 21/05/2024, Certificate No: ATS-05-24-3200-126

Main table with columns: Serial Number, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes with dimensions and photos.

Reference Standard: LEEA DOC 048:2015

Table with inspection questions and answers regarding examination intervals and safety.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with NDT Equipment Details including Standard, Viewing Condition, Colored Media, Method, and Due Date for various tools.

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: NONE

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Table with inspector details: Name of Inspector: Aram Dlawar, Name of person authenticating this report: Hasan Omran, Latest date by which next thorough examination must be carried out: 20-11-2024






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ078	01	Fabricated Pad Eyes Pad Eye Dimension Thickness: 30 MM Pin Hole : 37 MM Length : 240 MM Height : 190 MM Location: RIG FLOOR (under dog house) SN: 180802	2 TONS	N/A
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar 	Hasan Omran	
Signature & Stamp:		
Latest date by which next thorough examination must be carried out: 20-11-2024		



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-99	Job Number:	ATS-05-24-3200
---------------------	----------------------------------------------	--------------------	--------------	--------------------	-----------------------

Date of Examination:	21/05/2024	Date of Report:	21/05/2024	Certificate No:	ATS-05-24-3200-126
-----------------------------	-------------------	------------------------	-------------------	------------------------	---------------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
DZ003 DZ004	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 16 MM Pin Hole : 30 MM Length : 102 MM Height : 175 MM Location: RIG FLOOR (fall arrestor column) SN: 180802	2.5 TONS	N/A
				

Reference Standard:		LEE A DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	Was the examination carried out: Within an interval of 6 months?			
			YES	NO		
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	With an interval of 12 months?			
			YES	NO		
			In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
			YES	NO		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE						
Is the above a defect which is of immediate danger to persons:					YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE						
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: NONE	
Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE	

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar 	Hasan Omran	
Signature & Stamp:		
Latest date by which next thorough examination must be carried out: 20-11-2024		