




| | | | |
|---------------------|-----------------------------------|------------------|-----------------------|
| Customer: | Hilong Oil Services & Engineering | Date Of Service: | 15-05-2024 |
| Type Of Inspection: | CAT III INSPECTION | Report No: | ATS-05-24-3200-HS-001 |
| Rig & Rig Number: | RIG-99 | Specification: | API RP 8C |



ABERDEEN Technical Services Would Like to Thank You for Giving Us the Opportunity to Work With Your Honorable Company

| | | | |
|------------------|------------|-----------|------------|
| Inspection Date: | 15-05-2024 | Due Date: | 14-11-2024 |
|------------------|------------|-----------|------------|

| | | | |
|------------|---|-------------|-------------|
| Inspector: | Aram Dlawar  | Supervisor: | Hasan Omran |
| OEM: | | | |






| | | | |
|---------------------|-----------------------------------|------------------|-----------------------|
| Customer: | Hilong Oil Services & Engineering | Date Of Service: | 15-05-2024 |
| Type Of Inspection: | CAT III INSPECTION | Report No: | ATS-05-24-3200-HS-001 |
| Rig & Rig Number: | RIG-99 | Specification: | API RP 8C |

The Rig Was Equipped with JIANGSU RUTONG PETRO-MACHINERY CO. Hand Slip, with The Following Specification:

| | |
|------------------------|--|
| Equipment: | Hand Slip (Drill collar slip), DCS.S 4 – 4 7/8 |
| SN: | 807085 |
| Date of Manufacture: | - |
| Manufacturer/Model: | JIANGSU RUTONG PTERO-MACHINERY CO |
| Reference Standard: | API RP 8C |
| Next Examination Date: | After 06 Months |

Remarks:

Detailed reports are attached detailing all readings and results in - 03 of 05 pages.

| | | | |
|------------------------|---|-------------|---|
| Inspector: | Aram Dlawar  | Supervisor: | Hasan Omran  |
| Client representative: | | | |






| | | | |
|---------------------|-----------------------------------|------------------|-----------------------|
| Customer: | Hilong Oil Services & Engineering | Date Of Service: | 15-05-2024 |
| Type Of Inspection: | CAT III INSPECTION | Report No: | ATS-05-24-3200-HS-001 |
| Rig & Rig Number: | RIG-99 | Specification: | API RP 8C |

PROCEDURE

- The Drill collar Slip Has Been Inspected and Found Conformable to the Relevant Standard(s)
- The Rig was equipped with JIANGSU RUTONG PTERO-MACHINERY CO. LTD Drill collar Slip.
- Drill collar Slip Found Stripped Down for CAT III Inspection.

| Action | Result |
|---|--------|
| • Visually check for the serial number and Identification | Pass |
| • Prepare and clean the slip body and accessories to the extent necessary for inspection. | Pass |
| • Visually check for any damage, missing parts or cracks | Pass |
| • For Rotary, Dc and Casing Slips: Visually checked for damage, deformations or cracks on the hinges brackets, slips segments with tail slot handles and hinge pin. | Pass |
| • Place a straight edge against the backs and inside face of the slips to check if they are bend or wear. A good slip back is straight, smooth, and well-greased. | Pass |
| • Perform MPI as Per Manufacture's Recommendations of Hinged Connections Body (inside & Outside), Handles Guide Halves, Slips Top Cover Halves, Etc... | Pass |
| • Repaint the slip | Pass |
| • Prepare and submit the inspection report. | Pass |






| | | | |
|---------------------|-----------------------------------|------------------|-----------------------|
| Customer: | Hilong Oil Services & Engineering | Date Of Service: | 15-05-2024 |
| Type Of Inspection: | CAT III INSPECTION | Report No: | ATS-05-24-3200-HS-001 |
| Rig & Rig Number: | RIG-99 | Specification: | API RP 8C |

| DESCRIPTION | VALUES | OEM VALUES | RESULT |
|--|--------|------------|----------|
| The allowable Maximum wear on the outside surface of the slip. | 0.00 | 1.6 | Accepted |

** Visual And MPI Was Carried out on the critical areas and load bearing components of the slip and Found **Satisfactory for Further Use**.

** CAT III Inspection Was Carried Out on the slip and Found **Accepted** At The Time of Inspection

| | | | |
|------------------------|---|-------------|-------------|
| Inspector: | Aram Dlawar  | Supervisor: | Hasan Omran |
| Client representative: | | | |



International Well Control Forum



Tel: +964 7833334444 +964 7822222633

Emails: akader@aberdeents.com

inspection@aberdeents-iq.com



| | | | |
|---------------------|-----------------------------------|------------------|-----------------------|
| Customer: | Hilong Oil Services & Engineering | Date Of Service: | 15-05-2024 |
| Type Of Inspection: | CAT III INSPECTION | Report No: | ATS-05-24-3200-HS-001 |
| Rig & Rig Number: | RIG-99 | Specification: | API RP 8C |

Visual & Magnetic Particles Examination Report

| | | | | | |
|--------------|-----------------------------------|-----------|------|-------------|----------------|
| Client Name: | Hilong Oil Services & Engineering | Location: | R149 | Job Number: | ATS-05-24-3200 |
|--------------|-----------------------------------|-----------|------|-------------|----------------|

| | | | | | |
|----------------------|------------|-----------------|------------|-----------------|-----------------------|
| Date of Examination: | 15-05-2024 | Date of Report: | 15-05-2024 | Certificate No: | ATS-05-24-3200-HS-001 |
|----------------------|------------|-----------------|------------|-----------------|-----------------------|

| Serial Number | Description of the examined equipment | Result |
|---------------|--|--------|
| 807085 | Hand Slip (Drill collar slip), DCS.S 4 – 4 7/8 | Pass |
| S/N: | 807085 | |



NDT Equipment Details

| | | | | | |
|----------------|-----------------------------|--------------------|---------------|----------|------------|
| Standard | API RP 8C & ASTM E 709 | Viewing Condition: | Colored Media | Method | WET |
| Yoke | AC YOKE | Serial No: | 201504044 | Due Date | 04-07-2024 |
| White Contrast | FLUXO: WCP-4 | Batch No: | L230523/1 | Due Date | 23-05-2028 |
| Black Ink | FLUXO: Black magnetic ink-3 | Batch No: | L230125/3 | Due Date | 25-1-2025 |

NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **None**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **None**

| | | |
|-------------------------------|--------------------|-----------------------------------|
| ASNT Level II Inspector Name: | Signature & Stamp: | Date of Next Through Examination: |
| Aram Dlawar | | 14-11-2024 |

