



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with client details: Client Name: Hilong Oil Services & Engineering, Rig Number: HL-100, Job Number: ATS-06-24-3466

Table with examination details: Date of Examination: 08-06-2024, Date of Report: 08-06-2024, Certificate No: ATS-06-24-3466- MPI-04-08

Main table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes images of pad eyes.

Reference Standard: LEEA DOC 048:2015

Table with inspection questions and checkboxes regarding installation and examination intervals.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with NDT Equipment Details including Standard, Viewing Condition, Colored Media, Method, and Due Date.

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: NONE

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Table with inspector details: Name of Inspector: Aram Dlawar, Name of person authenticating this report: Meysam Minaei, Latest date by which next thorough examination must be carried out: 07-12-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-100	Job Number:	ATS-06-24-3466
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	08-06-2024	Date of Report:	08-06-2024	Certificate No:	ATS-06-24-3466- MPI-04-09
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
DZ016 DZ017 DZ018	03	Fabricated Pad Eyes Pad Eye Dimension Thickness: 20 mm Pin Hole : 39 mm Height: 127 mm Length: 103 mm Location : Substructure Supported Beam No: SB54 Substructure S/N: 180802	1 Ton	15.01.2024

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	NO	√
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	√
					YES	NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Meysam Minaei
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 07-12-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-100	Job Number:	ATS-06-24-3466
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	08-06-2024	Date of Report:	08-06-2024	Certificate No:	ATS-06-24-3466- MPI-04-10
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
DZ019 DZ020 DZ021	03	Fabricated Pad Eyes Pad Eye Dimension Thickness: 20 mm Pin Hole : 39 mm Height: 127 mm Length: 103 mm Location : Substructure Supported Beam No: SB55 Substructure S/N: 180802	1 Ton	15.01.2024

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	NO	√
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	√
					YES	NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Meysam Minaei
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 07-12-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with client details: Client Name: Hilong Oil Services & Engineering, Rig Number: HL-100, Job Number: ATS-06-24-3466

Table with examination details: Date of Examination: 08-06-2024, Date of Report: 08-06-2024, Certificate No: ATS-06-24-3466- MPI-04-11

Main table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes and three photographs.

Reference Standard: LEEA DOC 048:2015. Inspection questions regarding first examination and safety.

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with NDT Equipment Details: Standard, Viewing Condition, Method, Yoke, Vernier Caliper, White Contrast, Black Ink.

NDT Results: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection. Identification of any part found to have a defect and a description of the defect: NONE. Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

Inspector details: Name of Inspector: Aram Dlawar, Name of person authenticating this report: Meysam Minaei, Signature & Stamp, Latest date by which next thorough examination must be carried out: 07-12-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-100	Job Number:	ATS-06-24-3466
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	08-06-2024	Date of Report:	08-06-2024	Certificate No:	ATS-06-24-3466- MPI-04-12
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
DZ005 DZ006	02	Fabricated Pad Eyes Pad Eye Dimension Thickness: 25 mm Pin Hole : 36 mm Height: 150 mm Length: 190 mm Location : Substructure Under Rig Floor Substructure S/N: 180802	3 Ton	15.01.2024
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	√	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar 	Meysam Minaei
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 07-12-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-100	Job Number:	ATS-06-24-3466
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	08-06-2024	Date of Report:	08-06-2024	Certificate No:	ATS-06-24-3466- MPI-04-13
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
DZ001 DZ002 DZ003 DZ004	04	Fabricated Pad Eyes (Fall arrester Pad Eyes) Pad Eye Dimension Thickness: 16 mm Pin Hole : 22 mm Height: 190 mm Length: 165 mm Location : Substructure Under Rig Floor Substructure S/N: 180802	2.5 Ton	15.01.2024

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	✓
					YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:
Aram Dlawar	Meysam Minaei
	Signature & Stamp:
Latest date by which next thorough examination must be carried out: 07-12-2024	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Table with client details: Client Name: Hilong Oil Services & Engineering, Rig Number: HL-100, Job Number: ATS-06-24-3466

Table with examination details: Date of Examination: 08-06-2024, Date of Report: 08-06-2024, Certificate No: ATS-06-24-3466- MPI-04-14

Main table with columns: Pad Eyes S/N, QTY, Description, SWL, Date of last Thorough examination. Includes details for Fabricated Pad Eyes and two photographs.

Reference Standard: LEEA DOC 048:2015

Table with inspection questions and checkboxes: Is this the first examination after Installation...? If the answer to the above question is YES has the equipment been installed correctly?

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: NONE

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

Table with NDT Equipment Details: Standard, API RP 4G & ASTM E709, Viewing Condition, Colored Media, Method, WET. Lists Yoke, Vernier Caliper, White Contrast, and Black Ink.

NDT Results: Visual and MPI carried out for the above description and found free of surface defects at the time of inspection. Identification of any part found to have a defect and a description of the defect: NONE

Table with inspector details: Name of Inspector: Aram Dlawar, Name of person authenticating this report: Meysam Minaei, Signature & Stamp, Latest date by which next thorough examination must be carried out: 07-12-2024





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Hilong Oil Services & Engineering	Rig Number:	HL-100	Job Number:	ATS-06-24-3466
---------------------	--	--------------------	---------------	--------------------	-----------------------

Date of Examination:	08-06-2024	Date of Report:	08-06-2024	Certificate No:	ATS-06-24-3466- MPI-04-15
-----------------------------	-------------------	------------------------	-------------------	------------------------	----------------------------------

Pad Eyes S/N:	QTY	Description	SWL	Date of last Thorough examination
JJ041 JJ042 JJ043 JJ044	04	Fabricated Pad Eyes (Guy Line Anchor Pad eyes) Pad Eye Dimension Thickness: 32 mm Pin Hole : 46 mm Height: 270 mm Length: 250 mm Location : Substructure Base Substructure S/N: 180802	3 Ton	15.01.2024

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	
					YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	API RP 4G & ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	AC	Serial No:	201504044	Due Date	04-07-2024
Vernier Caliper	Digital	Serial No:	8914	Due Date	04-07-2024
White Contrast	FLUXO: WCP-4	Batch No:	L230523/1	Due Date	23-05-2028
Black Ink	FLUXO: Black magnetic ink-3	Batch No:	L230125/3	Due Date	25-1-2025

NDT Results

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: **NONE**

Particulars of any repair, renewal or alteration required to remedy the defect identified above: **NONE**

Name of Inspector:	Name of person authenticating this report:	
Aram Dlawar	Meysam Minaei	
	Signature & Stamp:	
Latest date by which next thorough examination must be carried out: 07-12-2024		