



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	01 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

**PICTORIAL:**



**Item Description:** Inspection Racks

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number:** ATS-SLB-IR-1

**Details of inspection method(s):**

Visible magnetic particle inspection

**Inspection Results:**

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks:** **ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	02 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

### PICTORIAL:



### Item Description: [Inspection Racks](#)

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number: ATS-SLB-IR-2**

### Details of inspection method(s):

Visible magnetic particle inspection

### Inspection Results:

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks: ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	03 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

**PICTORIAL:**



**Item Description:** [Inspection Racks](#)

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number:** ATS-SLB-IR-3

**Details of inspection method(s):**

Visible magnetic particle inspection

**Inspection Results:**

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks:** **ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	04 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

**PICTORIAL:**



**Item Description:** [Inspection Racks](#)

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number:** ATS-SLB-IR-4

**Details of inspection method(s):**

Visible magnetic particle inspection

**Inspection Results:**

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks:** **ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	05 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

**PICTORIAL:**



**Item Description:** [Inspection Racks](#)

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number:** ATS-SLB-IR-5

**Details of inspection method(s):**

Visible magnetic particle inspection

**Inspection Results:**

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks:** **ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633



# Aberdeen Technical Services and General Transportation

## Certificate of Visual Thorough Examination and Magnetic Particle Inspection (MPI)



Client:	<b>Schlumberger</b> – Iraq Branch	Certificate Number:	ATS-07-25-5087-MPI-001
Department:	SLB - CPS	Job No:	ATS-07-25-5087
Location:	ATS Workshop	Page No:	06 of 06
Date of Inspection:	22-July-2025	Next Inspection Date:	21-January-2026
Type of Inspection	Visual inspection & MPI (Wet Visible Method)	Ref. Standards:	ASTM E709, ASTM E 1444

**PICTORIAL:**



**Item Description:** [Inspection Racks](#)

Tare Weight: 300 Kg

Dimensions: 3.0 x 0.71 x 0.86 m [L x W x H]

SWL: 3 T

**Serial Number:** ATS-SLB-IR-6

**Details of inspection method(s):**

Visible magnetic particle inspection

**Inspection Results:**

MPI WAS CARRIED OUT ON THE WELDING AND CRITICAL AREAS OF THE ABOVE-MENTIONED ITEMS AND FOUND NO CRACKS OR RELEVANT INDICATIONS AT THE TIME OF INSPECTION.

**Remarks:** **ACCEPTED**

Inspection Equipment Details			Personnel Details		Company Stamp
<b>Equipment</b>	Ac yoke		Inspector:	Hasan Omran	
Serial Number	201504044		Qualifications	ASNT LEVEL II	
Calibration Date:	08-02-2025		Date:	22-07-2025	
Calibration Due:	07-08-2025		Signature:		
<b>Consumables</b>	MAGNETIC PARTICLES INSPECTION		Supervisor:	Majd Dayoub	
Maker and Model	FLUXO	FLUXO	Date:	23-07-2025	
Type:	WCP-4	Black magnetic ink-3			
Batch Number	L230523	L230125			
Expiry Date:	23-05-2028	25-1-2028			

ATS-NDT-F-001 ISSUE 3 JUN 2023



E: [akader@aberdeents.com](mailto:akader@aberdeents.com)  
[inspection@aberdeents-iq.com](mailto:inspection@aberdeents-iq.com)  
 Tel: +964 7833334444 +964 7822222633